



1. J5P front fog light

Overall size: 374X129X192
 Technical Parameter: 24V 35W



2. CA150P fog light

224X98X130mm
 H3 24V 70W



3. CA150P tungsten fog light

Overall size: 220X100X78
 Technical Parameter: H3 24V 70W



4. FD fog light

168X105X104mm
 168X105X104



5. FOTON front turning fog light

Overall size: 263X67.5X141.5
 Technical Parameter: H3 24V 70W
 24V P21W



6. STR fog light

162X118X98
 H3 24V 70W



7. HF J6350 front fog light

Overall size: 493X99
 Technical Parameter: H3 12V 55W



8. STR rear fog lamp

117X139X66
 24V 21W



9. Round fog light

Overall size: 192X118

Technical Parameter: 24V 35W



10. J6PA02 front outline light

294.8X238.8X84.5

24V W5W



11. Jiefang Interior trimming cabin light

Overall size: 220X145

Technical Parameter: 24V P10W



12. Cabin reading light

640X88X120

24V P10W



13. MAN lorry turning light

Overall size: 133X40X50

Technical Parameter: 24V P21W



14. MAN lorry cabin light

200X75X56

24V P21W




15. Cabin ceiling light



16. door-opening signal light

Overall size: 128.5X72.5X54.6
 Technical Parameter: 24V 10W/24 P21W

64X60X49
 24V W5W




17. CA1061K28L3 front fog lamp

Overall size: 300 x 100 mm
 Installation size: 230 x 50mm
 Technical parameter: H3 24V 70W

18. CA6471 front fog lamp

210 x 127 x 121.5mm
 115 x 160 x 88mm
 H3 12V 55W




19. D76B front fog light

Overall size: 464 x 96 x 154 mm
 Installation size: 139 x 50 x 40mm
 Technical parameter: H3 24V 70W

20. Howo head light cluster

300 x 130 x 35.6mm
 280 ± 1 75 ± 1
 H3 24V 70W



21. STR high-beam fog lamp

Overall size: 192 x 118 x 98mm
 Installation size: Suspension M10 x 40
 Technical parameter: H3 24V 70W

22. QCJ7081 rear fog lamp

174.6 x 70.1 x 107.4mm
 blank
 24V 21W



23. QCJ 7081 front lamp

Overall size: 202.5 x 135 x 121mm

Installation size: 110 x 135

Technical parameter:

**24. HFJ 6330A-HW rear fog lamp**

165 x 89 x 1151mm

148 x 24mm


12V 21W

**25. 120F rear fog lamp**

Overall size: 173 x 118 x 81

Installation size: 161

Technical parameter: 12V 21W

**26. J6P A01 front marker light**

264 x 134 x 113.5mm

92.5 ± 0.3; 27.5 ± 0.2

24V W5W

**27. J6P vehicle speed lamp**

Overall size: 146 x 60 x 54mm

Installation size: 114 ± 0.2

Technical parameter: 24V W5W

**28. J6P end-out line marker light**

171 x 77 x 93mm

123 ± 0.5; 21 ± 0.5; 55 ± 0.2


24V W5W

**29. J6P side turning light**

Overall size: 107 x 70 x 91mm

Installation size: 93 ± 0.5


Technical parameter: 24V P21W

**30. Inter berth lamp**

24 x 108 x 55mm

180 ± 0.5/120 ± 0.5

24V P10W





31. Howo front-out line light

Overall size: 77 x 75.8 x 87mm

Installation size: 56.8 ± 0.1

Technical parameter: 24V W5W

32. Howo end-out line light

63 x 44mm

52 ± 0.1

24V W5W



33. Howo cabin light

Overall size: 150 x 72.5 x 46.5mm

Installation size: 107 ± 0.5

Technical parameter: 24V 10W



34. Howo cabin light with spot light

218 x 72 x 45.5mm

202 x 60

24V 10W



35. FD treading light

Overall size: 146 x 136 x 120mm

Installation size: 93.6 x 92.3

Technical parameter: 24V P21W



36. Man berth lamp

320 x 151 x 68mm

304 ± 0.1

12V W5W



37. MAN side marker light

Overall size: 62 x 62 x 26mm



38. Glove box light

95 x 85 x 22mm

Installation size: 49 ± 0.1
 Technical parameter : LED 24V

85 ± 0.2
 24V C5W



39. Man rear light

Overall size: 250 x 153 x 76mm
 Installation size: M10 x 35
 Technical parameter: H3 24V 70W

40. Man hand-holding light

590 x 60 x 54mm
 25 ± 0.2
 12V 5W




41. Hongyan new style side maker lamp

Overall size: 108 x 39mm
 Technical parameter:

42. NJ1042 head light

258 x 165 x 134mm
 24V P21W 24V R5W



43. Crystal Head lamp

Overall size: 110.2 x 66.7 x 60mm
 Installation size: 398 x 126
 Technical parameter: 24V 70W

44. STR new style side turning light

127 x 66 x 26mm
 60 x 50(3- 5)
 24V 21W



45. STR side marker light

Overall size: 121 x 65 x 45mm

Installation size: 79

Technical parameter: 24V 5W

**46. CA1171P2k1L2 side turning light**

120 x 50 x 50mm

90 ± 0.2

24V 5W

**47. H2 (foton) side turning marker light**

Overall size: 262 x 56 x 61.5mm

Installation size: 232

Technical parameter: 24V 21W 24V W5W

**48. Huanghelong side turning light**

120 x 60 x 52.5mm

100 ± 0.1

24V W10W

**49. EQ1030 signal lights cluster**

Overall size: 225 x 145 x 155mm

Installation size: 140(2- 7)

Technical parameter: 12V 21W 5W

**50. EQ1032 signal lights cluster**

110.2 x 66.7 x 60mm

398 x 126

24V 70W

**51. speed warning light (FAW)**

Overall size: 371 x 155 x 106mm

Installation size: 92 ± 0.2

Technical parameter: 24V 5W

**52. FP side-turning light (FAW)**

93 x 188 x 90m

145 x 52

24V 21W





53. QCJ7081 side turning light(mini-car)

Overall size: 80 x 49.2 x 42mm
 Installation size: 22±0.2
 Technical parameter: 12V 5W

54.HF J6350B turning light(mini-car)

40 x 30mm
 insert
 12V 5W



55. HF J6330A side turning light(mini-car)

Overall size: 61 x 38 x 28mm
 Installation size : insert
 Technical parameter: 12V 5W

56. CA1171P2K1L2 front marker light

152.8 x 63 x 72mm
 132±0.5
 24V 5W



57. ST front turning light

Overall size: 165 x 70 x 60mm
 Installation size: 120(2-4 x 20)
 Technical parameter: 24V 21W

58. ST King position lamp

208 x 149 x 169mm
 160
 24V 21W 24V W5W



59. HF J6350 front turning light(mini-car)

Overall size: 172.8 x 55.6 x 80mm

60. HF J6330A front turning light

168 x 65 x 140mm

Installation size: insert
 Technical parameter: 12V 21W


155 x 38
 12V 21W



- | | |
|--|---|
| <p>61. HF J6330A front turning lamp (mini-car)
 Overall size:168 x 65 x 140mm
 Installation size:155 x 38
 Technical parameter:12V 21W</p> | <p>62. H2 end-out line marker light (foton)
 72 x 62.6mm
 40
 24V W5W</p> |
|--|---|



- | | |
|---|---|
| <p>63. STR end-outline marker lamp
 Overall size: 106 x 60 x 40mm
 Installation size: 40(2-F3.5)
 Technical parameter: 24V 4W</p> | <p>64. HF J6350B license light
 119 x 30 x 25mm
 105(2- 3)
 H4 12V 60/55W</p> |
|---|---|



- | | |
|--|---|
| <p>65. HF J6330A license light
 Overall size: 107 x 70 x 50mm
 Installation size: 79 x 63(3- 4.7)
 Technical parameter: 12V 5W</p> | <p>66. QCJ7081 license light
 64.5 x 40 x 42mm
 150±0.2(2-4 x 16)
 12V 5W</p> |
|--|---|



67. CA1171P2K1L2 dipped headlight

Overall size: 208 x 149mm

Installation size: 160

Technical parameter: 24V W5W



68. D76B dipped headlight

278 x 154 x 98mm

156 ± 0.5

24V 21W/5W



69. CA150P dipped headlight

Overall size: 300 x 150 x 100mm

Installation size: 140(2 x 8)

Technical parameter: 21V (21W 10W)



70. STR backup light

134 x 117 x 80mm

45(2-M6 x 20)

24V 21W



71. JieFang 141 backup light

Overall size: 190 x 140 x 50mm

Installation size: 100(2- 8.5)

Technical parameter: 24V 21W



72. HFJ6350B dipped headlight

165 x 126mm

94 ± 0.4



73. H2 treading light

Overall size: 110 x 95 x 95.7mm

Installation size: 82 ± 0.1

Technical parameter: 24V P21W



74. H2 vehicle speed light

116.5 x 85.5 x 150mm

114 ± 0.2

24V W5W





75. STR reflector
Overall size: 480 x 26mm
Installation size: middle M6 x 16

76. HF J6350B side reflector
85 x 50 x 8.5mm
50(3- 4)



77. HF J6330A backup light
Overall size: 165 x 89 x 151mm
Installation size: 148 x 24
Technical parameter: 12V 21W

78. CA150P cabin lamp
340 x 160 x 151mm
100(2-F6 x 8)
24V 10W



79. H2 cabin ceiling light
Overall size: 520.5 x 378.9 x 102.5mm
Installation size: 269±0.5/13.5±0.5
260±0.5/150±0.5
Technical parameter: 24V 5W 24V 22W/54W

80. STR cabin light
128 x 74 x 44mm
212 insert
24V 10W



81. HFJ6330A cabin light

Overall size: 220 x 100 x 78mm

Installation size: 200(3-M5 x 12)

Technical parameter: H3 24V 70W

82. HFJ6350B cabin light

196 x 146 x 64mm

blank

12V 5W



83. QCJ7081 rearing light& rear-view mirror 84. QCJ081 reading light

Overall size: 230 x 102 x 138mm

Installation size: 63±0.2

Technical parameter: 12V 5W

111.5 x 89 x 29mm

blank

12V 10W



85. STR height indicator

Overall size: 100 x 25 x 50mm

Installation size: 82(4 x 20)

Technical parameter: 24V 10W